

MICRO-LYNX LAMPS

Micro-Lynx F	82
--------------	----

MINI-LYNX LAMPS

Mini-Lynx Long Life Double	84
Mini-Lynx Long Life Triple	85
Mini-Lynx Economy	86
Mini-Lynx Automatic	87
Mini-Lynx Candle	88
Mini-Lynx Ambience	89

LYNX LAMPS

Lynx-S	90
Lynx-SE	91
Lynx-D	92
Lynx-DE	93
Lynx-T	94
Lynx-TE	95
Lynx-L	96
Lynx-LE	97
Lynx-F	98

TECHNICAL DATA

Spectral Power Distribution	99
Circuit Diagrams	100

MANUFACTURER'S LAMP CROSS REFERENCE

Sylvania	Osram	Philips	GE
Micro-Lynx F	–	–	–
Mini-Lynx Long Life Double	DULUX EL	PL E-C PRO	–
Mini-Lynx Long Life Triple	DULUX EL	PL E-T PRO	Self-Ballasted Triple Biax
Mini-Lynx Economy	DULUX EL ECONOMY	–	–
Mini-Lynx Automatic	DULUX EL SENSOR	–	–
Mini-Lynx Candle	DULUX EL CLASSIC	–	Self-Ballasted Candle Shape
Mini-Lynx Ambience	DULUX EL CLASSIC	AMBIANCE PRO A-shape	Self-Ballasted A-Line Shape
Lynx-S	DULUX S	PL-S 2 Pins	2-Pin Biax
Lynx-SE	DULUX S/E	PL-S 4 Pins	–
Lynx-D	DULUX D	PL-C 2 Pins	2-Pin Double Biax
Lynx-DE	DULUX D/E	PL-C 4 Pins	4-Pin Double Biax
Lynx-T	DULUX T	PL-T 2 Pins	–
Lynx-TE	DULUX T/E	PL-T 4 Pins	4-Pin Triple Biax
Lynx-L	DULUX L	PL-L 4 Pins	4-Pin High Lumen Biax
Lynx-LE	DULUX L	PL-L 4 Pins	4-Pin High Lumen Biax
Lynx-F	DULUX F	–	–

Compact fluorescent lamps are available in a wide range of shapes and formats to meet the growing need for compact, energy efficient and long lasting lamps, coupled with excellent colour rendering.

They are the result of traditional fluorescent lamp making skills which, when combined with an integral state-of-the-art electronic ballast and starter circuit, such as in **Mini-Lynx**, create a range of retrofit lamps that will directly replace incandescent mains voltage filament lamps.

Compact fluorescent lamps are also available without integral ballast, for use in traditional magnetic ballast fixtures or in the new generation of high efficiency, electronic ballast, downlights and luminaires.

**MICRO-LYNX F****MINI-LYNX****MINI-LYNX AMBIENCE**

The **Lynx** range offers a comprehensive range of light source solutions for diverse applications – for example for use in downlights and luminaires for shops and offices, fast food chains, hotel and bar lighting schemes, signs or in low battery drain emergency lighting units.

Mini-Lynx and Lynx lamps share the common features of long life, high colour rendering and constant light output throughout their life.


Following the success of our well known **Micro-Lynx F** lamp the time has come to introduce the next generation of Micro-Lynx F lamps. The new Micro-Lynx F has improved luminous efficacy and is also available in a Homelight Deluxe (2700K) variant.



LYNX-S



LYNX-T



LYNX-D


Micro-Lynx F Second Generation

NEW

Sylvania's ultra low profile Micro-Lynx F lamp with integral electronic ballast, 75mm diameter x 25mm depth, has undergone a face lift.

The NEW second generation unit now has improved luminous efficacy operating at 6W whilst maintaining the 220 lumen output.

In addition to the original Warm White Deluxe (3000K) and Cool White Deluxe (4000K) colour temperatures, Micro-Lynx F is now also available in Homelight Deluxe (2700K) with colour rendering – Ra85/Class 1B. Three additional colour versions red, green and blue complete the range. Average rated life: 6000 hours.



Integrated twist and lock safety key


To improve locating the lamp within the lampholder, the original GX53 (IEC 60061) 'twist-and-lock' base has also been subject to improvement, incorporating a safety key feature ensuring the lamp always engages correctly.

The interchangeable universal burning Micro-Lynx F units have a built in control gear operating on mains supply input voltage 230-240V saving space and installation time.

The development of Micro-Lynx F has been taken a stage further with its' evolution into the Micro-Lynx LED – 21 state of the art LEDs and integrated electronic converter.

Refer to LED section Page 70.

GX53



- Ultra compact size – 75mm wide x 25mm depth
- Colour rendering – Ra85/Class 1B
- Integrated twist and lock safety key
- Integral electronic ballast
- Also available in Red, Green and Blue
- Average rated life: 6000 hours




Code	Description	Watt	Cap	Colour	Colour Temp	Luminous Flux	Packing Qty
Micro-Lynx F Homelight Deluxe (827)							
0025214	Micro-Lynx F	6W	GX53	White	2700K	220 lm	20
Micro-Lynx F Warm White Deluxe (830)							
0025218	Micro-Lynx F	6W	GX53	White	3000K	220 lm	20
Micro-Lynx F Cool White Deluxe (840)							
0025219	Micro-Lynx F	6W	GX53	White	4000K	220 lm	20
Micro-Lynx F Colours							
0025244	Micro-Lynx F	6W	GX53	Red		170 lm	20
0025245	Micro-Lynx F	6W	GX53	Green		310 lm	20
0025246	Micro-Lynx F	6W	GX53	Blue		110 lm	20

Mini-Lynx Long Life Double



E14	5W	7W	11W	15W	20W
L	129	129	129	-	-
D	31	38	38	-	-
E27	5W	7W	11W	15W	20W
L	124	138	138	167	178
D	31	38	38	38	38
B22	5W	7W	11W	15W	20W
L	122	136	136	165	176
D	31	38	38	38	38




E14



E27




B22



- Direct retrofit for most GLS lamps
- Integral electronic ballast
- High lumen output
- Available with E14, E27 or B22 cap
- Suitable for exterior security lighting in covered luminaires
- Average rated life: 15000 hours

Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Mini-Lynx Long Life Double Homelight Deluxe (827)						
0027740	5W/E14	5W	E14	2700K	250 lm	10
0027744	5W/E27	5W	E27	2700K	250 lm	10
0027746	5W/B22	5W	B22	2700K	250 lm	10
0027701	7W/E14	7W	E14	2700K	400 lm	10
0025530	7W/E27	7W	E27	2700K	400 lm	20
0025531	7W/B22	7W	B22	2700K	400 lm	20
0027742	11W/E14	11W	E14	2700K	600 lm	10
0025532	11W/E27	11W	E27	2700K	600 lm	20
0025533	11W/B22	11W	B22	2700K	600 lm	20
0025534	15W/E27	15W	E27	2700K	900 lm	20
0025535	15W/B22	15W	B22	2700K	900 lm	20
0025536	20W/E27	20W	E27	2700K	1250 lm	20
0025537	20W/B22	20W	B22	2700K	1250 lm	20
Mini-Lynx Long Life Double Daylight Deluxe (860)						
0025504	7W/E27	7W	E27	6000K	400 lm	20
0025930	7W/B22	7W	B22	6000K	400 lm	20
0025505	11W/E27	11W	E27	6000K	600 lm	20
0025931	11W/B22	11W	B22	6000K	600 lm	20
0025506	15W/E27	15W	E27	6000K	900 lm	20
0025932	15W/B22	15W	B22	6000K	900 lm	20
0025507	20W/E27	20W	E27	6000K	1250 lm	20
0025933	20W/B22	20W	B22	6000K	1250 lm	20


E27	15W	20W	23W
L	137	155	166
D	50	50	50
B22	15W	20W	23W
L	135	153	164
D	50	50	50



E27



B22



- Integral electronic ballast
- High lumen output
- Small compact dimensions
- Available with E27 or B22 cap
- Suitable for exterior security lighting in covered luminaires
- Average rated life: 15000 hours





Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Mini-Lynx Long Life Triple Homelight Deluxe (827)						
0027600	15W/E27	15W	E27	2700K	900 lm	10
0027606	15W/B22	15W	B22	2700K	900 lm	10
0027601	20W/E27	20W	E27	2700K	1250 lm	10
0027607	20W/B22	20W	B22	2700K	1250 lm	10
0027602	23W/E27	23W	E27	2700K	1500 lm	10
0027608	23W/B22	23W	B22	2700K	1500 lm	10
Mini-Lynx Long Life Double Daylight Deluxe (860)						
0027612	15W/E27	15W	E27	6000K	900 lm	10
0027624	15W/B22	15W	B22	6000K	900 lm	10
0027613	20W/E27	20W	E27	6000K	1250 lm	10
0027625	20W/B22	20W	B22	6000K	1250 lm	10
0027614	23W/E27	23W	E27	6000K	1500 lm	10
0027626	23W/B22	23W	B22	6000K	1500 lm	10

Mini-Lynx Economy




E27	9W	11W	15W	18W
L	138	138	167	178
D	38	38	38	38
B22	9W	11W	15W	18W
L	136	136	165	176
D	38	38	38	38



- Cost effective range of energy saving lamps
- Integral electronic ballast
- High lumen output
- Small dimensions
- Direct retrofit for GLS lamps
- Average rated life: 8000 hours

Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Mini-Lynx Economy Homelight Deluxe (827)						
0026260	9W/E27	9W	E27	2700K	490 lm	20
0026270	9W/B22	9W	B22	2700K	490 lm	20
0026261	11W/E27	11W	E27	2700K	600 lm	20
0026271	11W/B22	11W	B22	2700K	600 lm	20
0026262	15W/E27	15W	E27	2700K	900 lm	20
0026272	15W/B22	15W	B22	2700K	900 lm	20
0026263	18W/E27	18W	E27	2700K	1080 lm	20
0026273	18W/B22	18W	B22	2700K	1080 lm	20
Mini-Lynx Economy Cool White Deluxe (840)						
0026440	9W/E27	9W	E27	4000K	490 lm	20
0026441	11W/E27	11W	E27	4000K	600 lm	20
0026442	15W/E27	15W	E27	4000K	900 lm	20
0026443	18W/E27	18W	E27	4000K	1080 lm	20
Mini-Lynx Economy Daylight Deluxe (860)						
0026444	9W/E27	9W	E27	6000K	490 lm	20
0026445	11W/E27	11W	E27	6000K	600 lm	20
0026446	15W/E27	15W	E27	6000K	900 lm	20
0026447	18W/E27	18W	E27	6000K	1080 lm	20

E27	11W	15W
L	138	167
D	38	38
B22	11W	15W
L	136	165
D	38	38



- With its light sensitive, integral photocell, Mini-Lynx Automatic comes on automatically at dusk and goes off again at dawn
- High lumen output
- Compact dimensions
- For professional and domestic use
- Suitable for exterior lighting in covered luminaires
- Average rated life: 12000 hours



Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Mini-Lynx Automatic Homelight Deluxe (827)						
0027760	11W/E27	11W	E27	2700K	600 lm	20
0027758	11W/B22	11W	B22	2700K	600 lm	20
0027764	15W/E27	15W	E27	2700K	900 lm	20
0027762	15W/B22	15W	B22	2700K	900 lm	20

Mini-Lynx Candle



E14	3W	5W	7W
L	112	112	125
D	42	42	44








- Lasts up to 6 times longer, using up to 80% less energy than incandescent candle lamps
- An energy saving lamp that looks like an incandescent lamp
- Integral electronic ballast
- Soft glow natural light
- Direct replacement for incandescent candle lamps
- Average rated life: 6000 hours



Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Mini-Lynx Candle Homelight Deluxe (827)						
0025500	3W/E14	3W	E14	2700K	60 lm	10
0025501	5W/E14	5W	E14	2700K	125 lm	10
0026466	7W/E14	7W	E14	2700K	200 lm	10

E27	7W	11W	15W	20W
L	116	127	145	151
D	60	60	72	75



- Lasts up to 6 times longer, using 80% less energy than incandescent GLS lamp
- An energy saving lamp that looks like an incandescent GLS lamp
- Integral electronic ballast
- Soft glow natural light
- Direct replacement for incandescent lamps
- Average rated life: 6000 hours




Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Mini-Lynx Ambience Homelight Deluxe (E27)						
0024961	7W/E27	7W	E27	2700K	360 lm	10
0024962	11W/E27	11W	E27	2700K	550 lm	10
0024963	15W/E27	15W	E27	2700K	820 lm	10
0024964	20W/E27	20W	E27	2700K	1100 lm	10

Lynx-S




G23	5W	7W	9W	11W
L	105	134	165	233
D	28	28	28	28



- U shaped tube and a 2 pin base which incorporates the starter and capacitor
- Excellent colour rendering – Ra85/Class 1B
- For use with magnetic ballast
- Average rated life: 10000 hours

Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Lynx-S Homelight Deluxe (827)						
0025206	5W/827	5W	G23	2700K	250 lm	50
0025200	7W/827	7W	G23	2700K	420 lm	50
0025201	9W/827	9W	G23	2700K	600 lm	50
0025202	11W/827	11W	G23	2700K	900 lm	50
Lynx-S Warm White Deluxe (830)						
0025449	5W/830	5W	G23	3000K	250 lm	50
0025450	7W/830	7W	G23	3000K	420 lm	50
0025451	9W/830	9W	G23	3000K	600 lm	50
0025452	11W/830	11W	G23	3000K	900 lm	50
Lynx-S Cool White Deluxe (840)						
0025600	5W/840	5W	G23	4000K	250 lm	50
0025601	7W/840	7W	G23	4000K	420 lm	50
0025602	9W/840	9W	G23	4000K	600 lm	50
0025603	11W/840	11W	G23	4000K	900 lm	50
Lynx-S Daylight Deluxe (860)						
0025604	7W/860	7W	G23	6000K	420 lm	50
0025605	9W/860	9W	G23	6000K	600 lm	50
0025606	11W/860	11W	G23	6000K	900 lm	50

2G7	5W	7W	9W	11W
L	85	115	145	215
D	28	28	28	28




- U shaped tubes and a 4 pin base without starter or capacitor
- Excellent colour rendering – Ra85/Class 1B
- To be operated on electronic ballast only
- Suitable for emergency lighting
- Average rated life: 10000 hours

Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Lynx-SE Homelight Deluxe (827)						
0025623	5W/827	5W	2G7	2700K	250 lm	50
0025624	7W/827	7W	2G7	2700K	420 lm	50
0025201	9W/827	9W	2G7	2700K	600 lm	50
0025202	11W/827	11W	2G7	2700K	900 lm	50
Lynx-SE Warm White Deluxe (830)						
0025449	5W/830	5W	2G7	3000K	250 lm	50
0025450	7W/830	7W	2G7	3000K	420 lm	50
0025451	9W/830	9W	2G7	3000K	600 lm	50
0025452	11W/830	11W	2G7	3000K	900 lm	50
Lynx-SE Cool White Deluxe (840)						
0025614	5W/840	5W	2G7	4000K	250 lm	50
0025627	7W/840	7W	2G7	4000K	420 lm	50
0025628	9W/840	9W	2G7	4000K	600 lm	50
0025629	11W/840	11W	2G7	4000K	900 lm	50
Lynx-SE Daylight Deluxe (860)						
0025604	7W/860	7W	2G7	6000K	420 lm	50
0025605	9W/860	9W	2G7	6000K	600 lm	50
0025606	11W/860	11W	2G7	6000K	900 lm	50

Lynx-D



G24d	10W	13W	18W	26W
L	87	115	129	147
D	35	35	35	35




G24d



- Two U shaped tubes and a 2 pin base which incorporates the starter and capacitor
- Excellent colour rendering – Ra85/Class 1B
- For use with magnetic ballast
- Uses considerably less power and last up to 10 times longer than incandescent lamps
- Average rated life: 10000 hours

Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Lynx-D Homelight Deluxe (827)						
0025210	10W/827	10W	G24d-1	2700K	600 lm	50
0025211	13W/827	13W	G24d-1	2700K	900 lm	50
0025150	18W/827	18W	G24d-2	2700K	1200 lm	50
0025154	26W/827	26W	G24d-3	2700K	1800 lm	50
Lynx-D Warm White Deluxe (830)						
0025395	10W/830	10W	G24d-1	3000K	600 lm	50
0025396	13W/830	13W	G24d-1	3000K	900 lm	50
0025151	18W/830	18W	G24d-2	3000K	1200 lm	50
0025155	26W/830	26W	G24d-3	3000K	1800 lm	50
Lynx-D White Deluxe (835)						
0028304	10W/835	10W	G24d-1	3500K	600 lm	50
0028305	13W/835	13W	G24d-1	3500K	900 lm	50
0028306	18W/835	18W	G24d-2	3500K	1200 lm	50
0028307	26W/835	26W	G24d-3	3500K	1800 lm	50
Lynx-D Cool White Deluxe (840)						
0025382	10W/840	10W	G24d-1	4000K	600 lm	50
0025383	13W/840	13W	G24d-1	4000K	900 lm	50
0025152	18W/840	18W	G24d-2	4000K	1200 lm	50
0025156	26W/840	26W	G24d-3	4000K	1800 lm	50
Lynx-D Daylight Deluxe (860)						
0025455	10W/860	10W	G24d-1	6000K	600 lm	50
0025456	13W/860	13W	G24d-1	6000K	900 lm	50
0025153	18W/860	18W	G24d-2	6000K	1200 lm	50
0025157	26W/860	26W	G24d-3	6000K	1800 lm	50

G24d	10W	13W	18W	26W
L	87	115	129	147
D	35	35	35	35



- Two U shaped tubes and a 4 pin base without starter or capacitor
- Excellent colour rendering – Ra85/Class 1B
- To be operated on electronic ballast only
- Suitable for emergency lighting
- Average rated life: 10000 hours




Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Lynx-DE Homelight Deluxe (827)						
0025916	10W/827	10W	G24q-1	2700K	600 lm	10
0025159	10W/827	10W	G24q-1	2700K	600 lm	50
0025917	13W/827	13W	G24q-1	2700K	900 lm	10
0025160	13W/827	13W	G24q-1	2700K	900 lm	50
0025918	18W/827	18W	G24q-2	2700K	1200 lm	10
0025140	18W/827	18W	G24q-2	2700K	1200 lm	50
0025919	26W/827	26W	G24q-3	2700K	1800 lm	10
0025143	26W/827	26W	G24q-3	2700K	1800 lm	50
Lynx-DE Warm White Deluxe (830)						
0025920	10W/830	10W	G24q-1	3000K	600 lm	10
0028022	10W/830	10W	G24q-1	3000K	600 lm	50
0025921	13W/830	13W	G24q-1	3000K	900 lm	10
0028023	13W/830	13W	G24q-1	3000K	900 lm	50
0025922	18W/830	18W	G24q-2	3000K	1200 lm	10
0028024	18W/830	18W	G24q-2	3000K	1200 lm	50
0025923	26W/830	26W	G24q-3	3000K	1800 lm	10
0028025	26W/830	26W	G24q-3	3000K	1800 lm	50
Lynx-DE White Deluxe (835)						
0028018	10W/835	10W	G24q-1	3500K	600 lm	50
0028019	13W/835	13W	G24q-1	3500K	900 lm	50
0028020	18W/835	18W	G24q-2	3500K	1200 lm	50
0028021	26W/835	26W	G24q-3	3500K	1800 lm	50
Lynx-DE Cool White Deluxe (840)						
0025924	10W/840	10W	G24q-1	4000K	600 lm	10
0025161	10W/840	10W	G24q-1	4000K	600 lm	50
0025925	13W/840	13W	G24q-1	4000K	900 lm	10
0025162	13W/840	13W	G24q-1	4000K	900 lm	50
0025926	18W/840	18W	G24q-2	4000K	1200 lm	10
0025141	18W/840	18W	G24q-2	4000K	1200 lm	50
0025927	26W/840	26W	G24q-3	4000K	1800 lm	10
0025144	26W/840	26W	G24q-3	4000K	1800 lm	50
Lynx-DE Daylight Deluxe (860)						
0025163	10W/860	10W	G24q-1	6000K	600 lm	50
0025164	13W/860	13W	G24q-1	6000K	900 lm	50
0025142	18W/860	18W	G24q-2	6000K	1200 lm	50
0025145	26W/860	26W	G24q-3	6000K	1800 lm	50

Lynx-T



GX24d	18W	26W
L	97	112
D	49	49







- Multi-limbed compact fluorescent lamps
- Excellent colour rendering – Ra85/Class 1B
- For use with magnetic ballast
- Average rated life: 10000 hours



Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Lynx-T Homelight Deluxe (827)						
0027800	18W/827	18W	GX24d-2	2700K	1200 lm	10
0027810	26W/827	26W	G24d-3	2700K	1800 lm	10
Lynx-T Warm White Deluxe (830)						
0027801	18W/830	18W	GX24d-2	3000K	1200 lm	10
0027811	26W/830	26W	GX24d-3	3000K	1800 lm	10
Lynx-T Cool White Deluxe (840)						
0027802	18W/840	18W	GX24d-2	4000K	1200 lm	10
0027812	26W/840	26W	GX24d-3	4000K	1800 lm	10

GX24q	18W	26W	32W	42W
L	97	112	128	149
D	49	49	49	49



- Particularly suitable for use in the new generation of ultra compact fluorescent downlights and luminaires
- Amalgam technology ensures consistent colour and high output throughout life
- Excellent colour rendering – Ra85/Class 1B
- To be operated on electronic ballasts only
- Suitable for emergency lighting
- Average rated life: 10000 hours



Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Lynx-TE Homelight Deluxe (827)						
0027815	18W/827	18W	GX24q-2	2700K	1200 lm	10
0027820	26W/827	26W	GX24q-3	2700K	1800 lm	10
0027841	32W/827	32W	GX24q-3	2700K	2400 lm	10
0027843	42W/827	42W	GX24q-4	2700K	3200 lm	10
Lynx-TE Warm White Deluxe (830)						
0027817	18W/830	18W	GX24q-2	3000K	1200 lm	10
0027822	26W/830	26W	GX24q-3	3000K	1800 lm	10
0027842	32W/830	32W	GX24q-3	3000K	2400 lm	10
0027844	42W/830	42W	GX24q-4	3000K	3200 lm	10
Lynx-TE Cool White Deluxe (840)						
0027816	18W/840	18W	GX24q-2	4000K	1200 lm	10
0027821	26W/840	26W	GX24q-3	4000K	1800 lm	10
0027840	32W/840	32W	GX24q-3	4000K	2400 lm	10
0027845	42W/840	42W	GX24q-4	4000K	3200 lm	10

Lynx-L



2G11	18W	24W	36W
L	225	320	415
D	38	38	38




2G11



- Excellent colour rendering – Ra85/Class 1B
- 4-pin 2G11 cap without starter or capacitor
- Suitable for use in modular ceiling luminaires – 300 x 300mm or 600 x 600mm
- To be used with magnetic ballast with remote starter and capacitor or on electronic ballast
- Dimmable with suitable ballast
- Average rated life: 10,000 hours

Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Lynx-L Homelight Deluxe (827)						
0025226	18W/827	18W	2G11	2700K	1200 lm	10
0025227	24W/827	24W	2G11	2700K	1800 lm	10
0025228	36W/827	36W	2G11	2700K	2900 lm	10
Lynx-L Warm White Deluxe (830)						
0025233	18W/830	18W	2G11	3000K	1200 lm	10
0025235	24W/830	24W	2G11	3000K	1800 lm	10
0025237	36W/830	36W	2G11	3000K	2900 lm	10
Lynx-L White Deluxe (835)						
0027908	18W/835	18W	2G11	3500K	1200 lm	10
0027910	24W/835	24W	2G11	3500K	1800 lm	10
0027912	36W/835	36W	2G11	3500K	2900 lm	10
Lynx-L Cool White Deluxe (840)						
0025234	18W/840	18W	2G11	4000K	1200 lm	10
0025236	24W/840	24W	2G11	4000K	1800 lm	10
0025238	36W/840	36W	2G11	4000K	2900 lm	10
Lynx-L Daylight Deluxe (860)						
0025685	18W/860	18W	2G11	6000K	1200 lm	10
0025686	24W/860	24W	2G11	6000K	1800 lm	10
0025687	36W/860	36W	2G11	6000K	2900 lm	10



- Excellent colour rendering – Ra85/Class 1B
- 4-pin 2G11 cap without starter or capacitor
- Suitable for use in modular ceiling luminaires – 300 x 300mm or 600 x 600mm
- To be used with electronic ballast only
- Dimmable with suitable ballast
- Average rated life: 10000 hours





Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Lynx-LE Homelight Deluxe (827)						
0025460	40W/827	40W	2G11	2700K	3500 lm	10
0025463	55W/827	55W	2G11	2700K	4800 lm	10
Lynx-LE Warm White Deluxe (830)						
0025461	40W/830	40W	2G11	3000K	3500 lm	10
0025464	55W/830	55W	2G11	3000K	4800 lm	10
Lynx-LE White Deluxe (835)						
0027914	40W/835	40W	2G11	3500K	3500 lm	10
0027916	55W/835	55W	2G11	3500K	4800 lm	10
Lynx-LE Cool White Deluxe (840)						
0025462	40W/840	40W	2G11	4000K	3500 lm	10
0025465	55W/840	55W	2G11	4000K	4800 lm	10
Lynx-LE Daylight Deluxe (860)						
0025688	40W/860	40W	2G11	6000K	3500 lm	10
0025689	55W/860	55W	2G11	6000K	4800 lm	10

Lynx-F















2G10	18W	24W	36W
L	122	165	217
D	79	79	79




- Multi-limbed compact fluorescent lamps
- Half the length of corresponding L types, yet higher light output
- Very good colour rendering – Ra85/Class 1B
- Ideal for small, flat luminaires for wall and ceiling mounting
- To be used with conventional, magnetic or electronic ballast
- Average rated life: 10000 hours



Code	Description	Watt	Cap	Colour Temp	Luminous Flux	Packing Qty
Lynx-F Homelight Deluxe (827)						
0027824	18W/827	18W	2G10	2700K	1100 lm	10
0027829	24W/827	24W	2G10	2700K	1700 lm	10
0027834	36W/827	36W	2G10	2700K	2800 lm	10
Lynx-F Warm White Deluxe (830)						
0027825	18W/830	18W	2G10	3000K	1100 lm	10
0027830	24W/830	24W	2G10	3000K	1700 lm	10
0027835	36W/830	36W	2G10	3000K	2800 lm	10
Lynx-F Cool White Deluxe (840)						
0027826	18W/840	18W	2G10	4000K	1100 lm	10
0027831	24W/840	24W	2G10	4000K	1700 lm	10
0027836	36W/840	36W	2G10	4000K	2800 lm	10




Circuit Diagrams



SWITCHSTART


with conventional ballast
Lynx-S 5W, 7W, 9W, 11W
Lynx-D 10W, 13W, 18W, 26W
Lynx-T 18W, 26W



SERIES TWIN


with conventional ballast
Lynx-S 5W, 7W, 9W

L = External conductor L_1, L_2, L_3
N = Median conductor MP
 U_n = Power supply 230V
B = Ballast




SWITCHSTART

with conventional ballast and
FS-11 starter or COP-11 safety starter
Lynx-L 18W, 24W, 36W



SERIES TWIN

with conventional ballast only with
2 x FS-22 starter
Lynx-L 18W



LEAD/LAG

with conventional ballast with
FS-11 starter or with
COP-11 safety starter
Lynx-L 18W, 24W, 36W